

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 7259-1491:103 Page 1 of 1

CATEGORY: Air Sampling Smoke Detector

LISTEE: *Vision Systems Inc., 35 Pond Park Rd., Hingham MA 02043
Contact: James Rose (781) 740-2223

DESIGN: Models DESC-SCAN-1/48, -2/48, -5/48, -10/48; DESC-SCAN-1/120, -2/120, -5/120, and -10/120 photoelectric type air sampling smoke detectors. Refer to listee's data sheet for additional detailed product description and operational considerations.

RATING: 120 VAC, 24 VDC

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, electrical rating and UL label.

APPROVAL: Listed as air sampling smoke detection system for use with separately listed compatible fire alarm control units. Models DESC-SCAN-1, -2 or -5 are suitable for open area protection with maximum air transport time of no more than 60 seconds. Authority having jurisdiction should be consulted prior to installation.

NOTE: Formerly 7259-1287:103

*Rev. 06-17-97



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

JUNE 19, 2001

*Listing Expires **June 30, 2002***

Authorized By:

BEN HO, Supervising Deputy
Program Manager